



## Percentage of Adults 65 Years and Older Vaccinated Against Influenza in 2006\*

<b>Nationwide</b>	<b>69.6%</b>	Missouri	72.2%
Alabama	62.0%	Montana	72.6%
Alaska	62.5%	Nebraska	73.3%
Arizona	65.4%	Nevada	57.7%
Arkansas	68.6%	New Hampshire	71.9%
California	66.9%	New Jersey	66.3%
Colorado	75.9%	New Mexico	67.6%
Connecticut	71.1%	New York	64.7%
Delaware	70.3%	North Carolina	69.6%
District of Columbia	61.2%	North Dakota	71.4%
Florida	61.5%	Ohio	68.2%
Georgia	64.8%	Oklahoma	70.6%
Hawaii	75.7%	Oregon	71.3%
Idaho	65.2%	Pennsylvania	68.3%
Illinois	66.4%	Rhode Island	74.7%
Indiana	65.3%	South Carolina	62.9%
Iowa	73.6%	South Dakota	74.1%
Kansas	72.5%	Tennessee	70.4%
Kentucky	66.0%	Texas	66.4%
Louisiana	64.4%	Utah	72.1%
Maine	72.0%	Vermont	72.8%
Maryland	66.1%	Virginia	69.1%
Massachusetts	73.1%	Washington	70.6%
Michigan	71.3%	West Virginia	66.4%
Minnesota	73.8%	Wisconsin	72.0%
Mississippi	65.4%	Wyoming	70.8%

**\*Healthy People 2010 Goal = 90%**

Source: Centers for Disease Control and Prevention (CDC). *Behavioral Risk Factor Surveillance System Survey Data*. Atlanta, Georgia: U.S. Department of Health and Human Services, CDC, 2006.